

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in TN, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	300	40	a	71	24	a	371	35	a
Black, not Hispanic	418	55	a	206	71	a	624	59	a
Hispanic	37	5	a	10	3	a	47	4	a
Asian/Pacific Islander	0	0	a	*	0	a	*	0	a
American Indian/Alaska Native	0	0	a	*	0	a	*	0	a
Unknown/Multiple Race	*	1	a	*	1	a	6	1	a
Total	759	100	a	291	100	a	1,050	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in TN, by sex and age at diagnosis, 2004

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	*	0	*	1	5	0
13-14	0	0	0	0	0	0
15-24	110	14	56	19	166	16
25-34	211	28	90	31	301	29
35-44	260	34	75	26	335	32
45-54	132	17	49	17	181	17
55-64	36	5	15	5	51	5
>=65	8	1	*	1	11	1
Total	759	100	291	100	1,050	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in TN, by sex and exposure category, 2004

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	443	58	a	a	443	42
Injection drug use (IDU)	37	5	25	9	62	6
Male-to-male sex and IDU	17	2	a	a	17	2
Heterosexual contact	75	10	157	54	232	22
Mother with/at risk for HIV	*	0	*	1	5	0
Other/unknown	185	24	106	36	291	28
Total	759	100	291	100	1,050	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in TN, by race/ethnicity and exposure category, 2004

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	214	58	216	35	11	23	0	0	0	0	*	33	443	42
Injection drug use (IDU)	29	8	31	5	*	4	0	0	0	0	0	0	62	6
Male-to-male sex and IDU	13	4	*	1	0	0	0	0	0	0	0	0	17	2
Heterosexual contact	47	13	169	27	13	28	0	0	*	100	*	33	232	22
Mother with/at risk for HIV	0	0	*	1	*	2	0	0	0	0	0	0	5	0
Other/unknown	68	18	200	32	20	43	*	100	0	0	*	33	291	28
Total	371	100	624	100	47	100	*	100	*	100	6	100	1,050	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in TN, by sex and tuberculosis comorbidity, 2004

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	754	99	289	99	1,043	99
Definitive case	5	1	*	1	7	1
Presumptive case	0	0	0	0	0	0
Total	759	100	291	100	1,050	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in TN, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	70	30	a	17	20	a	87	27	a
Black, not Hispanic	158	67	a	64	75	a	222	69	a
Hispanic	*	2	a	*	4	a	7	2	a
Asian/Pacific Islander	0	0	a	*	1	a	*	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	1	a	0	0	a	*	1	a
Total	235	100	a	85	100	a	320	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	766	724	780	753	759	14,457
Females	321	283	303	267	291	4,130
Total	1,087	1,007	1,083	1,020	1,050	18,587

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	360	358	380	352	371	8,131
Black, not Hispanic	694	627	656	622	624	10,002
Hispanic	24	16	34	35	47	344
Asian/Pacific Islander	*	*	*	8	*	45
American Indian/Alaska Native	0	*	*	0	*	14
Unknown/Multiple Race	*	*	8	*	6	51
Total	1,087	1,007	1,083	1,020	1,050	18,587

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	6	7	*	7	5	154
13-14	*	*	*	*	0	19
15-24	183	166	151	176	166	2,631
25-34	339	257	338	286	301	7,282
35-44	374	344	344	332	335	5,694
45-54	128	175	173	159	181	2,052
55-64	46	44	58	45	51	584
>=65	9	13	14	14	11	171
Total	1,087	1,007	1,083	1,020	1,050	18,587

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	479	453	484	453	443	9,264
Injection drug use (IDU)	111	72	64	58	62	2,411
Male-to-male sex and IDU	29	23	14	25	17	871
Heterosexual contact	342	289	298	228	232	3,803
Mother with/at risk for HIV	5	7	*	6	5	129
Other/unknown	121	163	219	250	291	2,109
Total	1,087	1,007	1,083	1,020	1,050	18,587

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	451	468	578	531	545	9,148
Females	172	178	183	203	174	2,042
Total	623	646	761	734	719	11,190

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	203	211	260	253	248	5,257
Black, not Hispanic	404	423	473	456	435	5,668
Hispanic	12	8	17	19	30	198
Asian/Pacific Islander	*	0	*	*	0	21
American Indian/Alaska Native	0	*	0	0	0	10
Unknown/Multiple Race	*	*	9	*	6	36
Total	623	646	761	734	719	11,190

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	*	0	*	56
13-14	0	0	0	0	0	4
15-24	46	45	46	37	49	653
25-34	190	169	205	183	189	4,108
35-44	250	245	293	312	283	4,134
45-54	105	141	158	158	141	1,650
55-64	26	34	45	35	41	449
>=65	6	12	13	9	15	136
Total	623	646	761	734	719	11,190

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	259	291	365	326	321	6,018
Injection drug use (IDU)	104	86	93	96	86	1,583
Male-to-male sex and IDU	26	21	24	24	24	651
Heterosexual contact	175	182	186	175	163	2,024
Mother with/at risk for HIV	0	0	*	0	*	47
Other/unknown	59	66	92	113	124	867
Total	623	646	761	734	719	11,190

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and sex

	2000	2001	2002	2003	2004
Sex	No.	No.	No.	No.	No.
Males	7,467	7,919	8,405	8,878	9,402
Females	2,401	2,582	2,779	2,953	3,159
Total	9,868	10,501	11,184	11,831	12,561

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and race/ethnicity

	2000	2001	2002	2003	2004
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	4,220	4,453	4,703	4,936	5,220
Black, not Hispanic	5,428	5,810	6,198	6,579	6,981
Hispanic	163	176	208	238	278
Asian/Pacific Islander	23	27	31	39	39
American Indian/Alaska Native	6	7	8	8	9
Unknown/Multiple Race	28	28	36	31	34
Total	9,868	10,501	11,184	11,831	12,561

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and current age

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	57	64	68	75	80
13-14	10	10	10	9	9
15-24	168	223	306	426	574
25-34	1,811	1,992	2,222	2,463	2,713
35-44	4,320	4,524	4,738	4,904	5,125
45-54	2,625	2,757	2,863	2,951	3,040
55-64	702	752	791	811	830
>=65	175	179	186	192	190
Total	9,868	10,501	11,184	11,831	12,561

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and exposure category

	2000	2001	2002	2003	2004
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	4,766	5,061	5,385	5,693	6,005
Injection drug use (IDU)	1,495	1,494	1,491	1,470	1,479
Male-to-male sex and IDU	447	452	444	445	448
Heterosexual contact	2,194	2,394	2,585	2,733	2,884
Mother with/at risk for HIV	81	88	92	97	102
Other/unknown	885	1,012	1,187	1,393	1,643
Total	9,868	10,501	11,184	11,831	12,561

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and sex

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	275	272	294	280	235	5,055
Females	65	102	106	93	85	971
Total	340	374	400	373	320	6,026

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	122	125	130	119	87	2,911
Black, not Hispanic	209	245	268	241	222	3,021
Hispanic	*	*	*	5	7	66
Asian/Pacific Islander	*	0	0	0	*	6
American Indian/Alaska Native	*	0	0	0	0	5
Unknown/Multiple Race	*	*	0	8	*	17
Total	340	374	400	373	320	6,026

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and age at death

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	32
13-14	0	0	0	*	0	2
15-24	8	19	7	6	8	166
25-34	87	76	74	58	47	1,870
35-44	115	151	157	163	118	2,345
45-54	87	90	113	102	97	1,108
55-64	35	22	37	34	36	360
>=65	7	16	12	9	14	143
Total	340	374	400	373	320	6,026

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and exposure category

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	151	158	160	145	131	3,259
Injection drug use (IDU)	62	73	67	79	53	932
Male-to-male sex and IDU	29	18	22	24	14	423
Heterosexual contact	70	89	107	80	81	919
Mother with/at risk for HIV	*	0	0	*	0	27
Other/unknown	27	36	44	44	41	466
Total	340	374	400	373	320	6,026

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.